

ISSN 0104-6497



NAUPLIUS

VOLUME 8

NUMBER 1

2000

NAUPLIUS

ISSN 0104-6497

THE JOURNAL OF THE BRAZILIAN CRUSTACEAN SOCIETY

Aims and Scope

The *Nauplius* publishes original articles based on research in any aspect of crustacean biology, including taxonomy, phylogeny, morphology, development, physiology, ecology, biogeography, bioenergetics, aquaculture and fisheries biology. Review articles with bold proposals showing original conclusions or approaches are encouraged.

The manuscripts submitted to this journal must have not been submitted to another periodical. Reproduction of articles published in the *Nauplius* is forbidden without previous written authorization by the Editorial Board of this periodical.

Instructions for the preparation of manuscripts are located on the inside back cover.

Manuscripts should be submitted to the Editor of *Nauplius*:

Maria Lucia Negreiros Fransozo
Departamento de Zoologia
Instituto de Biociências UNESP
18618-000, Botucatu, SP, Brasil

BRAZILIAN CRUSTACEAN SOCIETY

Officers:

Sérgio Luís de Siqueira Bueno (IB – USP, São Paulo, SP) President
Maria Lucia Negreiros Fransozo (IB – UNESP, Botucatu, SP) Secretary
Carlos Eduardo Falavigna da Rocha (IB – USP, São Paulo, SP) Treasurer
Adilson Fransozo (IB – UNESP, Botucatu, SP)
Fosca Pedini Pereira Leite (IB – UNICAMP, Campinas, SP)
Fernando Luís Medina Mantelatto (IB – USP, Ribeirão Preto, SP)

Brazilian Crustacean Society - SBC
Departamento de Zoologia - Instituto de Biociências - Universidade de São Paulo
Rua do Matão, Travessa 14 no.101
05508-900 São Paulo, SP, Brasil

Copyright by the Brazilian Crustacean Society

Summary

■ Abbreviated larval development of <i>Macrobrachium jelskii</i> (Miers, 1877) (Crustacea: Decapoda: Palaemonidae) from the Rio Solimões floodplain, Brazil, reared in the laboratory. Magalhães, C.	1-14
■ Composition and distribution of Decapoda from Guanabara Bay, RJ. Lavrado, H. P.; Falcão, A. P. C.; Cunha, P. C. and Silva, S. H. G.	15-25
■ Distribution of <i>Octolasmis lowei</i> and <i>Carcinonemertes carcinophila</i> in the branchial chamber of <i>Callinectes danae</i> and <i>Callinectes ornatus</i> . Santos, C.; Bueno, S. L. S. and Shimizu, R. M.	25-34
■ Ecology and distribution of Peracarida (Crustacea) in the continental shelf of São Sebastião (SP), with emphasis on the amphipod community. Santos, K. C. and Pires-Vanin, A. M. S.	35-53
■ Epibiosis on barnacles at Angra dos Reis, RJ: eutrophication effects. Mayer-Pinto, M.; Viana, M. S.; Lavrado, H. P.; Silva, T. A. and Silva, S. H. G.	55-61
■ Influence of an oil spill on the abundance of <i>Callichirus major</i> (Say, 1818) on a sandy beach in southeastern Brazil (Crustacea: Decapoda: Thalassinidea). Shimizu, R. M. and Rosso, S.	63-72
■ Population structure of <i>Goniopsis cruentata</i> (Latreille, 1803) in the Paripe estuary, Brazil. Moura, N. F. O.; Coelho-Filho, P. A. and Coelho, P. A.	73-78
■ Seasonal variability of pelagic copepod assemblages on the inner continental shelf off Paraná, Brazil. Sartori, L. P. and Lopes, R. M.	79-88
■ Occurrence of the eastern pacific species <i>Pilumnoides perlatus</i> (Poeppig, 1836) in the southeastern Brazilian coast. Melo, G. A. S.; Bertini, G. and Fransozo, A.	89-91
■ The first record of external abnormalities on abdomens of <i>Callinectes ornatus</i> (Portunidae) from Ubatuba Bay, Brazil. Mantelatto, F. L. M.; O'Brien, J. J. and Alvarez, F.	93-97
■ Variability of shell occupation by intertidal and infralittoral <i>Calcinus tibicen</i> (Anomura, Diogenidae) populations. Garcia, R. B. and Mantelatto, F. L. M.	99-105
■ Nutritional requirements in Brachyura: a review. Zanotto, F. P.	107-111
■ Effects of dietary fiber on net protein retention of the prawn <i>Macrobrachium rosenbergii</i> (de Man, 1879). González-Peña, M. del and Moreira, G. S.	113-116
■ Brazilian cladoceran studies: where do we stand? Elmoor-Loureiro, L. M. A.	117-131
■ <i>Probopyrus floridensis</i> Richardson, 1904 (Isopoda, Epicaridea, Bopyridae) parasitizing the freshwater prawn <i>Macrobrachium potiuna</i> (Muller, 1880), Brazil. Rocha, S. S. and Bueno, S. L. S.	133-140
■ Range extensions for eight species of western Atlantic hermit crabs (Crustacea, Paguroidea). Nucci, P. R. and Melo, G. A. S.	141-147
■ Postembryonic development of <i>Upogebia paraffinis</i> Williams, 1993 (Decapoda, Thalassinidea), reared under laboratory conditions. Melo, S. G. and Brossi-Garcia, A. L.	149-168
■ Register of two species of Crustacea Decapoda Brachyura in the Brazilian waters. Ramos-Porto, M.; Torres, M. F. A.; Viana, G. F. S.; Santos, M. C. F.; Acioli, F. D. and Cabral, E.	169-171